

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:	A1	(11) International Publication Number: WO 99/57886
H04N 1/405		(43) International Publication Date: 11 November 1999 (11.11.99)
(21) International Application Number: PCT/US (22) International Filing Date: 16 April 1999 (DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
(22) International Filing Date: 16 April 1999 ((30) Priority Data: 09/070,280 30 April 1998 (30.04.98)		Published With international search report.
(71) Applicant: HITACHI KOKI IMAGING SOLUTIO [US/US]; 1757 Tapo Canyon Road, Simi Valley, (US).	NS, IN CA 930	C. 33
(72) Inventor: YOO, Jae-Hwal, H.; 7258 Elmsbury La Hills, CA 91307 (US).	ane, W	est
(74) Agents: NAGY, Paul, G. et al.; Pillsbury Madison LLP, Suite 1200, 725 S. Figueroa Street, Los An 90017 (US).	a & Su geles, (ro A

(54) Title: HALFTONE IMAGE REPRODUCTION WITH AUTOMATIC GAMMA CORRECTION

(57) Abstract

A method and apparatus for halftoning over a region of output pixels by defining large, or macro, halftone cells corresponding to regions of contiguous pixels and partitioning the macro halftone cells into smaller halftone cells. The gray, or hue, level within a macro halftone cell is determined by the number of pixels which are darkened within the macro halftone cell. Selection of the number of pixels to be darkened in response to input data can be effected in a manner to achieve automatic gamma correction. In one embodiment the pixels in each macro halftone cell are ranked according to a non-linear function.

_		•	2	٦	-	-	-6	7	8	9	10	11	12	13	14	15	15	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
۲,	20	÷	88	÷	÷	÷	76	175	212	203	85		6	0	78	179	236	207	- 88	2	6	0	77	176	233	204	85	1	6	0	79	180	237
_	12	_	40	20	57	12	_	_	_	126	39	20	56					130										20	56	12	29	106	154
H	. 12	<u> </u>			158		31			18		132						19							53				157	111	30	11	55
H												210	240					1 2							- 5	2	91	211	241	183	54	0	-51
H										12		169	225				_					198			8	0	72	170	226	197	81	1	- B
						198									- 25	21	-61	14	- ; ;	102	146	123	- 17	74		15						23	ᇑ
										15		100				- 125	121	117	- 24	102	-53	16	48	743	168	120	75		49	16	47	140	165
_	11	<u> </u>	33							119		9			90	135	101	191	÷	- *		- 19	-	224	755								
	19		69	0						194	71		4													709	89			÷	79	170	235
Ľ	20	35	86	t	7	1	80	180	238	208	89	_ 7		_0		<u> </u>	234	206	- 8/									_	59	13			152
10	12	8	40	21	58	13	29	109	154	131	41	_22_	_59	13	78	106	151	128	40	21	-26	13	-30	109	133	131	42			115			
										19	44	135						19															
Ti		2	92	214	244	185	66	0	- 6	2_	94	215	246		67		_	2												188			_
1	,	0	74	172	229	199	83	1	_ 7	0	75	174	231	201	84	_1						200				0				202			8
1	1	5	26	102	147	124	37	22	60	14	_27_	104	148	125				15										104	149	126			62
11	11	8	34	9	50	17	45	138	162	115	33	10	51	17		141		119			51	17		139			<u> 33</u>	10	52	_17			166
Ti	19	2	70	0	4	3	95	217	248	189	65	0	4	3		221		193				3				190		_	_	_			253
	7 20		BB	2	- 6					204	86	1	6	0	79	180	238	207	68		6					203			6	_0			237
			41	21	58	13	28	106	151	127	39	20	57	12	29	108	154	129	41	21	57	12	27	105	150	127	-38	20	-56	12	_29	108	153
۳	_	_		=	Ξ				_	_		_	_	_	_	_		\Box	_	_	_				_			_	_	_		_	\neg
_							_					_										_											

A

19	19	43	135	159	112	31	11	53	18	43	133	157	111	30	11	55	19	43	134	158	112	31	10	52	18	42	132	156	110	30	11	54
					185	65		- 5	2	91	211	242	183	64	0	5	2	91	212	243	184	65	0	5	_2	90	<u> 711</u>	241	182	64	U	_ = 1
	ō					83	ī	9	0	73	170	226	197	82															195			
_		_	_			37	24	63	16	25	101	145	122	36															121			
									120	35	9	49	15	47	140	165	117	34	9	50	15	48	143	168	120	35	9	49	16	46	140	164
									195	72	ō	4	3	97	221	251	191	69	0	4	3	99	223	3	195	71	' - O	: '4'	. 3	36	720	250
									210	90	2	7	0	78	178	236	205	87	1	7	_1	80	181	239	209	69	2	7	0	78	177	235
								156		42	22	60	14																13			
									20	45			115																114			
									3	94	217	247	188	67	0	- 5	2	93	214	244	186	55	0	- 6	3	94	215	245	188	67	0	- 5
					201			7	0	76	175	232	202	85		8	0	74	172	229	200	83		7	0	75	174	231	202	_84	1	8
								60	14	27	104	149	126	39	24	62	15	26	103	147	124	37	22	60	14	27	104	149	125	38	24	2
									116	33	10	52	18	48	142	167	118	34	9	51	17	45	138	163	116	33	10	52	17	47	141	156
									190	69	-0	5	3	98	223	253	193	70	0	4	3	95	215	248	189	_68	0	4	3	98	222	252
			_	_	_		• • •	_	_	_	_			_	_				_										_			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑÜ	Australia .	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY .	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LĪ	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

TITLE: HALFTONE IMAGE REPRODUCTION WITH AUTOMATIC GAMMA CORRECTION

BACKGROUND OF THE INVENTION

The present invention relates to halftone reproduction of graphic images which are commonly in a bitmap format.

Image information is commonly generated in a bitmap format where the bitmap comprises a plurality of "gray" level cells (or hue concentration level cells for color images). Each cell consists of a two-dimensional array of pixels, or cell elements, and the gray or hue level to be created in each cell is defined by digital values, wherein each digital value represents a gray or hue concentration level among a number of gray or hue concentration levels within the area. Thus, if a cell is composed of 25 pixels, there are 26 levels of gray or hue concentration, varying incrementally between black (or a solid color) and white.

One standard method of converting gray or hue concentration level image data into binary level pixel image data is through the use of dithering or halftoning processes. In such methods, over a given area having a number of gray or hue concentration level cells therein, each pixel of a cell is compared to one of a set of pre-selected thresholds. Each such cell represents a "halftone cell". The effect of such an arrangement is that, for an area where the image is gray or some shade of a hue, some of the thresholds within the halftone cell will be exceeded, while others are not.

In the monochrome case, the pixels or cell elements for which thresholds are exceeded are printed as black or a selected primary color, while the remaining cell elements are allowed to remain white. The human eye integrates the distribution of white and black, or the selected color, over the cell as gray. In this manner, there can be gradual transitions between different shades of gray or the selected color among adjacent halftone cells.

5

10

15

For full or plural color applications, several halftone cells, each corresponding to a different hue, are formed for a given area. The color system superimposes the halftone cells of different hues to form the desired color of the image. Halftoning facilitates varying the concentration or intensity level of hues within the color image by varying the number of darkened pixels for halftone cells corresponding to particular hues. In this manner, the image can have transitions between neighboring colors among adjacent halftone cells. The application of halftoning to color systems is described in detail in the Postscript Reference Manual published by Adobe.

Unfortunately, in using a halftoning technique, there is often a trade-off between maximizing the number of gray or hue concentration levels and the sharpness of the image; the larger each cell is (to contain more pixels), the fewer cells will fit into a given area. Fewer cells within a given area effectively decreases sharpness. This gray or hue concentration level/sharpness trade-off often forces product designers to choose between reproducing an image using many gray levels but in large halftone dots (resulting in coarse, grainy images) or using fine halftone dots but only a few gray or hue concentration levels (which can cause heavy banding). The effects of banding are illustrated described in my U.S. Patent No. 5,587,811, which issued on December 24, 1996, particular reference being made herein to Figure 1 and the accompanying description in that patent. Banding results from a noticeable jump in the gray levels between adjacent regions.

Some techniques have been developed to address this trade-off between gray levels and sharpness in an attempt to maximize sharpness while minimizing the effects of banding. Xerox Corporation developed a technique called Quad Dot. It is believed that the Quad Dot technique divides a halftone cell into four smaller cells.

The Quad Dot system attempts to distribute darkened pixels among the smaller cells. However, it is believed that the Quad Dot system sequentially adds

5

10

15

20

pixels to adjacent smaller cells in a deterministic circular fashion about the center of the larger cell. This can result in a noticeable pattern within the image.

The above-cited U.S. Patent No. 5,587,811 addresses certain of the shortcomings of these prior art methods and systems by providing a method and apparatus for halftoning which utilizes a macro halftone cell defining an area of contiguous pixels. The method and apparatus partition the macro halftone cell into a plurality of sub-halftone cells, each sub-halftone cell defining an area of contiguous pixels. A predetermined level of desired grayness or hue intensity determines the quantity of pixels to be darkened within the macro halftone cell. In accordance with one aspect of this method and apparatus, a spot function ranks pixels within the macro halftone cell from highest to lowest such that preferably one or more of the following design rules apply: no two pixels within the same sub-halftone cell are ranked consecutively; and the rank of each individual pixel within each sub-halftone cell is a decreasing function of the distance between the center of the sub-halftone cell and the center of the pixel (e.g., a pixel closest to the center of the sub-halftone cell has the highest rank of pixels within the sub-halftone cell and a pixel furthest from the center of the sub-halftone cell has the lowest rank of pixels within the sub-halftone cell) and the number of pixels ranked above any particular pixel within the sub-halftone cell is no more than one greater and no more than one less than the number of pixels ranked above the particular pixel in any other sub-halftone cell within the macro halftone cell. Each pixel having a rank higher than or equal to a threshold ranking is darkened, wherein the threshold ranking is set so that the determined quantity of pixels is darkened. Such an arrangement has been found to provide an even distribution of darkened pixels among the halftone cells of the macro halftone cell yet maintain a high level of resolution.

In accordance with another aspect of the invention disclosed in U.S. Patent No. 5,587,811, the macro halftone is partitioned into an area of v by w contiguous sub-halftone cells where v and w are odd positive integers. Having a macro halftone cell of odd dimensions of sub-halftone cells can define exactly one center.

5

10

15

20

sub-halftone cell. This facilitates a balanced distribution of sub-halftone spots within the macro halftone cell to provide a balanced image across the macro halftone cell.

By altering the distribution of darkened pixels within the halftone cell for a desired level of grayness, a more balanced image in black and can be produced.

Maintaining high resolution and the large number of levels of hue concentration within the macro halftone in color printers provides a smooth transition to neighbor colors and a well balanced in-gamut distribution.

While the method and system disclosed in the above-cited patent do produce image quality improvement, they nevertheless possess certain shortcomings. For example, the transition which they exhibit from one intensity, or darkness, level to the next does not ideal smoothness across a macro halftone cell and they do not permit a gamma correction to be made in an acceptably simple manner. Gamma correction involves a correction for the difference between the percentage of dots in a cell which are darkened and the apparent darkness of that cell. It has been found that over the range of possible darkness values, a cell will generally appear to have a darkness greater than the percentage of dark pixels within the cell. For example, at about the midpoint between the lightest and the darkest levels, when 50% of the pixels in the cell are dark, the average observer will consider the cell to have a darkness of the order of 70%.

20

25

5

10

15

BRIEF SUMMARY OF THE INVENTION

An object of the present invention is to provide an improved and system for halftoning that allows automatic gamma correction without requiring additional software.

A further object of the invention is to create a more uniform gray tone or hue across a halftone cell.

The above and other objects are achieved, according to the present

invention, in a method for halftoning in an area defined by a matrix of pixels, which method comprises:

partitioning the area into a plurality of macro halftone cells, each macro halftone cell being constituted by an array of contiguous pixels;

determining a quantity of pixels within a macro halftone cell to be darkened based on an input value which is a linear function of a desired level of color intensity for the macro halftone cell;

ranking each of the pixels within each macro halftone cell from a maximum ranking value to a minimum ranking value, each ranking value corresponding to a respective input value; and

in each macro halftone cell, darkening each pixel which has a ranking value greater than the associated input value,

by the improvement wherein the step of ranking is performed to give each pixel in a macro halftone cell a ranking value which is such that the apparent level of color intensity of each macro halftone cell is linearly proportional to the associated input value.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING

- FIG. 1 is a graph illustrating relations between apparent darkness of a halftone cell and an input data value representing desired darkness.
 - FIG. 2 is a table illustrating the ranks assigned to pixels in a screen representing a macro halftone cell according to one exemplary embodiment of the invention.
 - FIG. 3 is a flow diagram illustrating the manner in which halftone screens are generated according to the invention.

5

10

15

FIG. 4 is a block diagram of a system for effecting halftone printing in accordance with the present invention.

DESCRIPTION OF THE APPENDIX

5

10

15

20

25

30

An understanding of one embodiment of the present invention may also be aided by reference to the Appendix A which is a listing of programming instructions in the Matlab script language for the embodiment.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 is a graph which illustrates the reason for, and the result of, gamma correction. This graph shows the relation between an input gray, or hue, level value for one elemental region of an image and the resulting apparent darkness, *i.e.*, the apparent gray level or hue. When the percentage of pixels in a cell which are darkened, *i.e.*, provided with a black or colored spot, is linearly proportional to the input value, the apparent darkness of the cell will vary along the curve entitled WITHOUT GAMMA CORRECTION. This curve represents a non-linear relationship between the apparent darkness and the input value. Thus, to a viewer, the image portion represented by a particular cell will generally appear to be darker than it would appear in an accurately reproduced image.

Therefore, if an appropriate compensating non-linear relation is established between the number, or percentage, of pixels in a cell which are darkened and the input value, a linear relation can be established between the apparent darkness of the cell and the associated input value as represented by the line labeled WITH GAMMA CORRECTION.

It has been found such a linear relation between the apparent darkness of the cell and the associated input value can be established by creating a non-linear relationship between the number of pixels that are darkened and the input value.

Taking into account the shape of the curve which is obtained without gamma

correction, the non-linear curve (not illustrated) which serves to produce the gamma correction will exhibit an increasing rate of change in the number of darkened pixels as the input value increases from white to dark. Therefore, at the light end of the curve, pixels will be progressively darkened at a low rate in response to incremental changes in the input value, while at the dark end of the curve, pixels will be darkened at a comparatively high rate.

According to the invention, as will become more readily apparent from the following description, such a gamma correction can be built into the ranking of each pixel in a macro halftone cell. The number of pixels having each rank value will increase progressively from the highest rank, representing the pixels which are darkened at the light end of the darkness scale, to the lowest rank, representing pixels which are darkened at the dark end of the darkness scale.

FIG. 2 is a table showing an exemplary group of rankings for all of the pixels of a single screen, representing the ranking scheme for each macro halftone cell, according to one preferred embodiment of the present invention. It should, of course, be understood that FIG. 2 depicts only one exemplary ranking scheme and that many other schemes can be devised pursuant to the inventive principles disclosed herein.

In a manner similar to the technique disclosed in U.S. Patent # 5,587,811, each rank value corresponds to an input value threshold. As the input value varies from a value associated with a white screen to the darkest screen, pixels are darkened in descending order of rank. For the first input value which is directly adjacent to the light end of the gray scale, a dark spot will be applied to each pixel having a rank of 255. When the input value corresponding to the dark end of the scale, or the darkest screen, is produced, the last pixels to be provided with a dark spot are those having a rank of "0", at which time all pixels in the macro halftone cell will have been provided with dark spots and that cell will appear to be black or to have the maximum possible hue intensity.

A macro halftone cell according to the invention is characterized in that, for at least some rank values, several pixel locations have the same rank value,

5

10

15

20

and the number of pixel locations having each rank value is selected to provide the desired built-in gamma correction. The distribution of rank values according to the invention can be based on the programming set forth in the Appendix.

According to a further feature of the present invention, pixel rankings are distributed across a macro halftone cell so that the pixel locations having each rank value are distributed as uniformly as possible across the surface of the macro halftone cell, which will cause the macro halftone cell to appear to have a hue which is as uniform as possible across the cell area.

To aid in achieving this objective, the macro halftone cell is considered to be divided into a large number of sub-halftone cells. In the illustrated embodiment, where the macro halftone cell is a 32x32 array, there are provided 32 sub-cells, each containing 32 contiguous pixels. One such sub-cell is outlined in FIG. 2 and is shown to have a diamond form.

Hue uniformity would be optimized if each sub-cell were circular. However, a rectangular array of pixels can not be divided into circular sub-cells which would contain all of the macro cell pixels. Therefore, a sub-cell shape which approximates a circular shape and permits adjacent sub-cells to be fully contiguous is selected. The diamond shape meets these criteria, at least in the case of a 32x32 pixel macro halftone cell.

The identification of each sub-halftone cell as having a diamond shape can be understood to mean that if the macro halftone cell is viewed as lying in a plane, each sub-halftone cell has an outline that conforms generally to a parallelogram whose edges are inclined with respect to the boundary edges of the macro halftone cell.

Preferably, a macro halftone cell contains an integral number of sub-halftone cells, i.e., the number of pixels in the macro halftone cell is an integral number multiple of the number of pixels in a sub-halftone cell. However, improvements according to the invention can be achieved if this relationship is not perfectly attained, i.e., if one or more sub-halftone cells were truncated.

In order to have an integral number of sub-halftone cells in a macro

5

10

15

20

halftone cell, when the macro halftone cell has an even number of rows and columns, each sub-halftone cell cannot be perfectly symmetrical about a single center pixel. Therefore, within each sub-halftone cell, one pixel which is as close to the center as possible is selected and given the highest rank of all pixels within that sub-halftone cell. Then, in all directions from the pixel having the highest rank, the other pixels in the cell have ranks which decrease with increasing distance from the pixel of highest rank.

At least with respect to the pixel of highest rank in each sub-halftone cell, the rank value in each sub-halftone cell will be different from that in each adjacent sub-halftone cell.

All of these sub-halftone cells will be interfitted with one another so that a relatively small spacing exists between the highest ranked pixels of any two adjacent cells. This spacing will determine the screen frequency in that the closer the spacing, the higher the frequency. The screen frequency is equal to the number of dots per inch along each row of an image being reproduced divided by the smallest distance, in pixel units, between the highest ranked pixels in two adjacent sub-halftone cells. Thus, in the embodiment shown in FIG. 2, the smallest distance which determines screen frequency will be, for example, the distance between pixel 8, 8 (row 8, column 8) and pixel 12, 12, or $4\sqrt{2}$ pixel units. If an image is to be reproduced with a pixel density of 600 dots per inch, then the screen frequency, also referred to as lines per inch, would be of the order of 108

It will be noted that in the illustrated embodiment, each sub-halftone cell extends across seven rows and eight columns. However, the sub-halftone cells could also be configured to each extend over eight rows and seven columns.

The invention is already embodied in printers marketed by Dataproducts Corporation, under model designation DDS24.

FIG 3. is a flow diagram illustrating the basic steps of converting input values into data which controls, according to the invention, the pixels which are to be darkened in each screen, or macro halftone cell.

5

10

15

20

In Step 3-1 an input value for a selected macro halftone cell is obtained in a conventional manner from existing image data. This input value is tested, in operation 3-2, to determine a pixel rank threshold value. In accordance with preferred embodiments of the invention, in which gamma correction is built into the ranking of pixels in the macro halftone screen, the threshold value can be linearly proportional to the input value. Then, in operation 3-3, the rank of each pixel in the halftone screen is compared with the given threshold value to identify all pixels having a rank above the threshold value. Finally, in operation 3-4, output data will be generated to darken those pixels having rank values above the threshold value. The resulting pixel generation data produced by operation 3-4 is then utilized in a conventional manner to control the outputting, *e.g.*, printing, operation.

The basic components of a system for implementing the present invention are shown in FIG 4. For a system in which a full-color image reproduction is to be achieved, four macro halftone cells ((48K) black, (48C) cyan, (48M) magenta, and (48Y) yellow) are superimposed, in accordance with conventional practice, on the medium on which the image is to be reproduced.

Full color input data for controlling image reproduction is supplied by a conventional unit 42 to a processing unit 44 in which the input data is converted, if necessary, into corresponding component darkness or hue values for each of the component image colors, including black. Then, in processing units 46, a threshold value for each basic color is derived from the associated darkness, or hue, value. Here again, in accordance with the present invention, the threshold value for each color can be linearly proportional to the associated darkness or hue value.

The threshold value for each color is supplied to a respective pixel selection unit, which may be constituted by a memory, which stores the rank of each pixel in an associated macro halftone cell, or screen. Each pixel selector 47 outputs a control signal, in a conventional manner, which causes appropriate pixels in the macro halftone cell to be darkened.

5

10

15

20

In a color system according to the invention, each pixel selector 47 could store a separately derived pixel rank pattern, depending on the gamma correction requirements for each color. Each pixel selector 47 storing the pattern of rank values for a macro halftone cell could be a memory, such as a ROM, a PROM, etc. The rank value for each pixel would be stored at a given memory location. Threshold data representing a respective color at one image point would be inputted to the memory. Such an input signal could have, for example, any one of 256 different values, each value corresponding to a respective gray scale, or hue intensity, level. the location of each pixel having a rank which is above a threshold determined by the value of the threshold signal would then be read out to a suitable control system to identify those pixels which should be provided with a black dot. This information would then be applied to control the application of dots to the medium on which an image is to be reproduced.

In embodiments according to the invention, the same pattern of pixel rank values will be employed for each image point to be reproduced.

The system shown in FIG. 4 could be implemented by suitable programming of existing halftone image reproducing equipment, such as dot matrix printers.

The use of a 32x32 macro halftone cell has the significant advantage of allowing a highly effective gamma correction to be built into the pattern of pixel rank values. However, a more limited gamma correction could be with smaller macro halftone cells, provided that the number of pixels in such smaller cells is sufficiently larger than the number of gray, or hue, levels to be produced.

In view of the relation between the present invention and that disclosed in U.S. Patent #5,587,811, the entirety of that issued patent is incorporated herein by reference.

The preferred embodiments of a color system according to the invention performs halftoning to provide commands to a solid, or hot melt, ink jet printer because the solid ink jet printer can generally produce circular dots with greater clarity. However, the disclosed color halftoning embodiments can be adapted to

5

10

15

20

other systems for reproducing a color image having pixel values for superimposed cells as an input.

While the description above refers to particular embodiments of the present invention, it will be understood that many modifications may be made without departing from the spirit thereof. The accompanying claims are intended to cover such modifications as would fall within the true scope and spirit of the present invention.

The presently disclosed embodiments are therefore to be considered in all respects as illustrative and not restrictive, the scope of the invention being indicated by the appended claims, rather than the foregoing description, and all changes which come within the meaning and range of equivalency of the claims are therefore intended to be embraced therein.

5

APPENDI X

GAMMAKER.M

```
1
          %%Title: DDS-24 Halftone Construction with Automatic Gamma Correction
   2
          %%Creator: J. Yoo 12-20-97
   3
          %%EndComments
   4
          % Copyright (C) Dataproducts 1998. All rights reserved.
   5
          %% Creat J matrix which has a 16x16 size of threshold array, simulating 106lpi @600dpi resolution.
   6
          %% Each sub-cell has diamond shape, containing 32 contiguous pixels
   7
   8
          J=[
   9
          230
                 150
                       22
                              41
                                    12
                                          140
                                                 212
                                                        244
                                                               228
                                                                                   40
                                                                                         14
                                                                                               142
                                                                                                      214
                                                                                                             246
   10
          182
                 102
                       73
                              121
                                     57
                                           84
                                                 164
                                                        196
                                                               180
                                                                      100
                                                                            72
                                                                                   120
                                                                                         56
                                                                                                86
                                                                                                      166
                                                                                                             198
   11
          70
                105
                       185
                              201
                                     169
                                           89
                                                  52
                                                        116
                                                               68
                                                                     104
                                                                           184
                                                                                                88
                                                                                  200
                                                                                         168
                                                                                                       54
                                                                                                             118
   12
          25
                153
                       233
                              249
                                    217
                                            129
                                                  1
                                                        36
                                                              24
                                                                    152
                                                                           232
                                                                                  248
                                                                                        216
                                                                                               128
                                                                                                      0
                                                                                                            38
   13
          9
               137
                      209
                                    225
                             241
                                           145
                                                  17
                                                        47
                                                              8
                                                                    136
                                                                          208
                                                                                 240
                                                                                        224
                                                                                               144
                                                                                                      16
                                                                                                            45
  14
          61
                81
                      161
                             193
                                    177
                                           97
                                                 79
                                                       127
                                                              63
                                                                    80
                                                                          160
                                                                                 192
                                                                                        176
                                                                                               96
                                                                                                     77
                                                                                                           125
  15
          173
                93
                       49
                             113
                                    65
                                          111
                                                 191
                                                        207
                                                              175
                                                                     95
                                                                           48
                                                                                 112
                                                                                        64
                                                                                               109
                                                                                                     189
                                                                                                            205
                       5
  16
         221
                133
                             33
                                   31
                                          159
                                                239
                                                       255
                                                              223
                                                                     135
                                                                           7
                                                                                 32
                                                                                       29
                                                                                              157
                                                                                                    237
                                                                                                           253
  17
         229
                149
                       21
                             42
                                    15
                                          143
                                                 215
                                                        247
                                                              231
                                                                     151
                                                                            23
                                                                                  43
                                                                                        13
                                                                                               141
                                                                                                     213
                                                                                                            245
  18
         181
                101
                       74
                             122
                                    58
                                          87
                                                 167
                                                        199
                                                              183
                                                                     103
                                                                           75
                                                                                  123
                                                                                         59
                                                                                               85
                                                                                                     165
                                                                                                            197
  19
         69
                106
                      186
                             202
                                    170
                                           90
                                                 55
                                                        119
                                                              71
                                                                     107
                                                                           187
                                                                                  203
                                                                                         171
                                                                                               91
                                                                                                      53
                                                                                                            117
  20
         26
               154
                      234
                             250
                                    218
                                           130
                                                  2
                                                       39
                                                             27
                                                                    155
                                                                          235
                                                                                 251
                                                                                        219
                                                                                               131
                                                                                                      3
                                                                                                           37
  21
         10
               138
                      210
                             242
                                    226
                                           146
                                                  18
                                                        44
                                                              11
                                                                    139
                                                                           211
                                                                                 243
                                                                                        227
                                                                                               147
                                                                                                      19
                                                                                                             46
  22
         62
               82
                      162
                             194
                                   178
                                          98
                                                 76
                                                       124
                                                             60
                                                                   83
                                                                          163
                                                                                 195
                                                                                        179
                                                                                              99
                                                                                                     78
                                                                                                           126
  23
         174
                94
                      50
                            114
                                   66
                                          108
                                                 188
                                                       204
                                                              172
                                                                     92
                                                                           51
                                                                                 115
                                                                                        67
                                                                                              110
                                                                                                     190
                                                                                                            206
  24
         222
                134
                       6
                            34
                                   28
                                         156
                                                236
                                                       252
                                                             220
                                                                    132
                                                                           4
                                                                                35
                                                                                       30
                                                                                             158
                                                                                                    238
                                                                                                          254
  25
         ]:
  26
         %% Make the J matrix 4 copies, J1, J2, J3, and J4, adding different weight of priority.
  27
         %% Depending on the weight values ( 0<weight<1), darkening pixels will be distributed across the sub-cells.
 28
         %% In this 2x2 case, J1 is the highest, J4 is the second, J2 is the third, and J3 is the last.
 29
 30
        J1=J+.1; J2=J+.3; J3=J+.4; J4=J+.2;
 31
 32
        %% Define a J0 super cell whose size is 32x32.
 33
        J0=zeros(32);
 34
 35
        %% Copy J1,J2,J3, and J4 into different section in J0.
 36
        for i=1:16,
 37
         for j=1:16,
 38
           JO(i,j)=J1(i,j);
 39
         end;
 40
        end;
 41
 42
        for i=1:16,
 43
         for j=1:16,
 44
          JO(i,j+16)=J2(i,j);
 45
         end;
 46
        end;
 47
. 48...
       for i=1:16,
49
         for j=1:16,
50
          JO(i+16,j)=J3(i,j);
51
         end:
52
       end;
```

GAMMAKER.M

```
53
  54
        for i=1:16,
  55
         for j=1:16,
  56
          J0(i+16,j+16)=J4(i,j);
  57
 58
        end;
 59
 60
 61
        %%% Reshpae the 32x32 array to 1024x1 array(J00) to sort them in ascending order
 62
        J00=reshape(J0,1024,1);
 63
        %% Sort J00 in ascending order 1 to 1024
 64
 65
        [Y,I]=sort(J00);
 66
        count=1;
 67
        for i=1:1024.
 68
          11(I(i))=count;
 69
          count=count+1;
 70
       end;
 71
       %% Now I1 has sorted number, ranging 1 to 1024
 72
 73
       %%% Reshape the I1 back to 32x32 array (J0s)
 74
       J0s=reshape(11,32,32);
75
76
77
       %% Create G1 1024x1 array whose values are linear, 0 to 1
78
       %% G1 will be used as X values to create Gamma table
79
       G1=0:1/1023:1;
80
       G1=G1'; %% Transpose to column vector
81
82
       %%% Apply the Gamma correction G2, for example Gamma=2.0;
83
       G2=G1.^2.0;
84
85
       %% Multiply 1023 and round it to integer. Now Gamma table contains integer ranging 0 to 1023.
86
       G3=round(G2.*1023);
87
88
       %%% Reshape the J0s to 1024x1 array to take gamma corrected sequence as defined in G3
89
      G4=reshape(J0s,1024,1);
90
      for i=1:1024,
91
        G5(i)=G3(G4(i));
92
      end:
93
94
      G5=G5'; %% Transpose to column vector
95
96
      %% Divide the gamma corrected value by 4 so that gray value ranges 0 to 255.
97
      G6=fix(G5./4);
98
      %%% Reshape G6 (1024x1) to J0g (32x32) array
99
100.
      J0g=reshape(G6,32,32);
101
102
      %%% Final output data table is in J0g
103
104
      % fid=fopen('j32x32g.ps','w');
```

GAMMAKER.M

105 % for i=1:32, 106 % fprintf(fid,'%02X',J0g(i,:)'); 107 % fprintf(fid,'\\n'); 108 % end; 109 % fclose(fid); 110 **CLAIMS:**

5

10

15

5

What is claimed is:

1. In a method for halftoning in an area defined by a matrix of pixels comprising:

partitioning the area into a plurality of macro halftone cells, each macro halftone cell being constituted by an array of contiguous pixels;

determining a quantity of pixels within a macro halftone cell to be darkened based on an input value which is a linear function of a desired level of color intensity for the macro halftone cell;

ranking each of the pixels within each macro halftone cell from a maximum ranking value to a minimum ranking value, each ranking value corresponding to a respective input value; and

in each macro halftone cell, darkening each pixel which has a ranking value greater than the associated input value,

the improvement wherein said step of ranking is performed to give each pixel in a macro halftone cell a ranking value which is such that the apparent level of color intensity of each macro halftone cell is linearly proportional to the associated input value.

2. The method of claim 1, further comprising partitioning each macro halftone cell into a plurality of sub-halftone cells, each sub-halftone cell having a center, and wherein said step of ranking includes giving each individual pixel within each sub-halftone cell a rank which is a decreasing function of the distance between the center of the sub-halftone cell and the pixel, wherein a pixel closest to the center of the sub-halftone cell has the highest rank of pixels within the sub-halftone cell and a pixel furthest from center of the sub-halftone cell has the lowest rank of pixels within the sub-halftone cell.

3. The method of claim 2, wherein said macro halftone cell has boundary edges and each said sub-halftone cell has boundary edges which are inclined with respect to the macro halftone cell boundary edges.

- 4. The method of claim 3, wherein each sub-halftone cell has an outline approximating a circle.
- 5. The method of claim 4, wherein each said sub-halftone cell has a parallelogram shape.
- 6. The method of claim 2, wherein each pixel has a respective position in a respective sub-halftone cell, and a pixel at one position in one sub-halftone cell has a rank different from the rank of the pixel in the corresponding position in an adjacent sub-halftone cell.
- 7. The method of claim 2, wherein each sub-halftone cell is composed of a number of contiguous pixels which is an even-numbered submultiple of the number of pixels in one macro halftone cell.
- 8. The method of claim 2, wherein all pixels which are darkened within a sub-halftone cell are contiguous.
- 9. The method of claim 1, wherein a plurality of pixels in one said macro halftone cell have the same rank.
- 10. The method of claim 1, wherein said step of ranking is carried out by a ranking pixels in each macro halftone cell according to a non-linear function of the level of color intensity so that a gamma correction is effected during said

step of darkening.

5

10

15

11. In a system for halftoning in an area defined by a matrix of pixels comprising:

means for partitioning the area into a plurality of macro halftone cells, each macro halftone cell being constituted by an array of contiguous pixels;

means for determining a quantity of pixels within a macro halftone cell to be darkened based on an input value which is a linear function of a desired level of color intensity for the macro halftone cell;

means for ranking each of the pixels within each macro halftone cell from a maximum ranking value to a minimum ranking value, each ranking value corresponding to a respective input value; and

means for darkening, in each macro halftone cell, each pixel which has a ranking value greater than the associated input value,

the improvement wherein said means for ranking are operative to give each pixel in a macro halftone cell a ranking value which is such that the apparent level of color intensity of each macro halftone cell is linearly proportional to the associated input value.

12. The system of claim 11, wherein each macro halftone cell is partitioned into a plurality of sub-halftone cells, each sub-halftone cell having a center, and wherein said means for ranking are operative for giving each individual pixel within each sub-halftone cell a rank which is a decreasing function of the distance between the center of the sub-halftone cell and the pixel, wherein a pixel closest to the center of the sub-halftone cell has the highest rank of pixels within the sub-halftone cell and a pixel furthest from center of the sub-halftone cell has the lowest rank of pixels within the sub-halftone cell.

- 13. The system of claim 12, wherein said macro halftone cell has boundary edges and each said sub-halftone cell has boundary edges which are inclined with respect to the macro halftone cell boundary edges.
- 14. The system of claim 13, wherein each sub-halftone cell has an outline approximating a circle.
- 15. The system of claim 14, wherein each said sub-halftone cell has a parallelogram shape.
- 16. The system of claim 12, wherein each pixel has a respective position in a respective sub-halftone cell, and a pixel at one position in one sub-halftone cell has a rank different from the rank of the pixel in the corresponding position in an adjacent sub-halftone cell.
- 17. The system of claim 12, wherein each sub-halftone cell is composed of a number of contiguous pixels which is an even-numbered submultiple of the number of pixels in one macro halftone cell.
 - 18. The system of claim 12, wherein all pixels which are darkened

within a sub-halftone cell are contiguous.

19. The system of claim 11, wherein a plurality of pixels in one said macro halftone cell have the same rank.

20. The system of claim 11, wherein said means for ranking are operative for ranking pixels in each macro halftone cell according to a non-linear function of the level of color intensity so that a gamma correction is effected during said step of darkening.

1/5




FIG.1

										2/												7
32	237	154	55	5	∞	61	15.	3 2		3	152	54	S	∞	2	166	<u>e</u>	33	23.	153		1
5	88	8	=	0	-	12	3 5		27	2	[0]	=	0	-	77			222	179	108 153	(
8	79	29 1	23	64	 =	٤	3 2	- 2	200	∞	- 8	32	67	8	æ	3 5	751 /6	8	79	73	\	1
29	0	12	111	183	197			- Ł	1	\circ	≃	115	188	202	1		1	~	0	15		1
28	9	29	157 1	241 1	276 1	ي پار	- 1	- 1	4	~	29	52 1	247 1	231 2			- i	2	9	92	$\ \ $!
27	-	20	133 1	11 2	2	2 5	3 0	- 1	\circ	7	22	37 10	16 2	15.7	104 140	5 5	2	0	-	R	۱	1
26 2	æ	88	42 1.	91 211	071 67	25 100 145	3 ¥	3 ;	=	<u>چ</u>	42	45 137 162	94 216	76 175	1, 70		ဒါ	89	98	39	1	
25 2	ļ.		~ ∞	2		1	i	1	- 1	509		70 7	~	i		Į	اء	190	203	127	1	l
1	3 204	1 127	53.	2	\ \	-		2 2	255 15	239 20	30 109 155 131	55 2	و	1		2	55	249 19		150 1		ĺ
3 24	5 233	5 151	1	1		- 1			4 25	7	9 15	1	0		- 1	1 7	9	8 24	6 233			1
23	176	3 105	2	İ	ļ	- 1	47 /	48 143	99 224	80 181	9 10	2 12		i	- 1	3	46 139	95 218	77 176	27 105		1
22	12	28	1	1		Į.			4 9	~		32	99	1	1	- 1		3 9	0			1
21	0	=	-	185	2 2		— i	2		_	13	160 113	186	2 2			17	4	وا	13	i	1
2	1	-'	1 -	243	3 5	077		욺	4	_	88		245	2 2	3 3		51		l	5	1	-
13		1,	1	92 213	3 5	1/1 8/	=	2)	0		7	44 136	215		2 2	ا≘	2	0	7	10		l
200	1	1	1		- 1	- 1	- 1	₹	69	87	용	1	i		- 1		ಜ	2	88			١
=	100		_1	2	1	> :	<u>+</u>		191	206	138	2	1	4_	4	_	119	55	2	5		4
150		15.	5.4	2 4	٥	ο ;	19	164	250	234	151	5	٦	۱°	9	2	47 141 166	252	180 238	100 154	5	1
5	2 2	20 20	<u> </u>	- -	~	- :	23	2	219	171 17	28 106	=	1	7	- :	2	141	97 221	18	3 2	3	1
7		2 2	3 5	3 2	5 3	ਙ∣	8	46	96	11	2	: ₽	3 2	3 3	5 3	≋	47	6	2	2 2	3	1
=	2	2		2 2	2 3	ड		16	3	0	≃		5		3	<u></u>	7	~	· c	۶ ۶	2	ı
2	عاد	ع اد		3 8	Q#,7	S	4	49	4	_	2	3 2	2 2		3	2	5	7	عا	> C	5	1
=	- -	ج ۔		- 1	ı	- 1	2	6	0	~	3		2 4	ا.	4	8	10	-	· -	- ફ	3	1
	ا.		-	ء ا د	ı	- 22	25	35	_	62	-	1	- 1	آر	2	_	33	8	3 8		2	
9	≥ ¥	3 2	-		H					1		4		1	- [27		1			ا۲	
6	2 2	3 5	2 9		- 1	0	2	48 142 167 119	194	ĮĘ	20 100 154 131	5 5	<u> </u>	- 1	기	14	45 138 162 115	05 217 248 189	אחר אזר דדו דד ה	5 5	771 161 901 97 61	1
0	200 626 366 36	757	071 001 001 17			∞	3	167	98 223 254	20 180 738 238	3 2	5 4	<u> </u>	ام		9	199	2 8		5 3	의	1
-	- 1	3 3	3 5	2∫د	키	-	24	142	223	[] <u>⊊</u>	3 2	<u></u>	= °	기	-	73	25€	3 5		<u> </u>	≘	1
١	مالا	2 2	۶ :	ᆌ	2	82	36	48			3[2	27	5 S	8	8	37	5		3 5	= 8	8	1
4	ماء	> 9	기:		≨	198	122	16	-	1	- :≃	2 :	2	ଛ	20	124	50 17	= ~	7	> :	2	
-	4 ر] م	71 /6	43 135 158 111 31 10	91 212 242 184	777	145	20		-		8	44 155 159 11 30 11 35	92 214 244 185	229	147	5		۰ د		2	
	- 1	~ 8	2 :	3	212	13	5	6		- -		7	3	214	172	102	0	م	> °	7	21	
١	~ 8	g 8	40 70	\$	5	0 73 170 227 198	6 14 25 101 145 122 36	33 9	8 8	3 8	3 5	17 04		65	0 74 172 229 199	15 26 102 147 124 37 22	5	5 5	2 8	8	41	{
-	1		5 129	- 1	~	0	7	7117	ē	2 2		1	- 1	~	0	15		2 2		8	اج اج	۱۱
			7	\sim	4	2	و	-	- ~		֓֞֝֟֓֓֓֓֓֓֓֟֝֓֓֓֓֟֓֓֓֓֟֓֓֓֓֓֓֟֓֓֓֓֓֟֓֓֓֟	Ω S	2	2	13	14	1	2 5	و اع	=	<u>∞</u>	
L			_			L	<u> </u>	Щ												1		

FIG.2A

								/5					
54	5	∞	61	164	250	235	152	53	5	8	62	166	252
=	0	-	23	140	220	17	106	=	0	-	24	141	222
30	64	8	36	46	96	8	28	32	6 3	84	38	47	88
110	182	196	144 121	16	3	0	13	114	88	202	125	52 17	~
156	241	225	144	49	4	~	29	161	246	231	149		4 3 98 222
42 132	211	169	100	6	0	7	22	45 137	94 216	174	27 104	33 10	0
42	8	72	25	35	71	ස	41		94	7 0 75 174	27		89
2	2	0	15	120	195	503	131	5	~	0	14	116	189
10 52	ഹ	∞	63	168	254	80 181 239	29 109 155 131	12 55	9		9	163	248
\ ≥	0	•	24	48 143	99 223	≅	109	12	0	-	22	138	218
/=	65	82	37					31	99	83	37	45 138	0 4 3 95 218 248
112	184	198	25 101 146 122	16	~	7 1	13	113	2 86	200	124	51 17	3
158	243	227	146	20	4	_	28	135 160 113		229	26 103 147 124	51	4
134	212	171	10	6	0	-	21	135	93 214 244	172	103	6	0
43 134 158 112	91	73	25	34	69	83	40 21	18 44	93	0 74 172 229	97	34	193 70
19	7	0	14	111	191	202	128		7		15	118	193
55	5	∞	9	165	1 251 1	236	153	54	5	8	62	167	253
=	0	-	23	47 140 165	221	178 236	28 107 153		0	-	24	48 142 167	223
8	64	82	38	47	97	82	78	33 11	29	85	39	48	98 223
Ξ	2 8	197	122	16	~	7 0	14	115	88	202	126	22	3
157	242	526	45	49	4	_	8	162	247	232	149 1	25	5
133	211	170	101	6	0	7	22	45 137 162	217	175	104	2	0
43 133	9	23	25	35	72	ഒ	42	45	94	9/	27	33	69
1	7	0	16	70	95	9	32	20	~	0	14	16	90
53	2	თ	63	89	55	40 /	56 1		မ	7	9	64 1	49 1
=	0	-	24	143	99 224 255 195	80 182 240 210	10	12	0	-	23	46 139 164 116	19 2
3 €	65	83	37	48	66	8	200	32 12 56	99	84	38 23	46 1	96
112	8	99	123	11	0 4 4	-	₩			107		13	
159	244	228	146	S	4	7	23	091	245	230	148	21	4
135	213	172	102	9 50 17 48 143 168 120	0	-	21	136	215	173	55	2	0
43	2 92 213 244 185	0 74 172 228 199	15 26 102 146 123 37 24	₹	2	87	우	44	2 93 215 245 187	0 75 173 230 201	15 26 103 148 125	33	7
19 19 43 135 159 112 31 11 53 18	7	0	5	23 118	24 192 70	25 206 87	26 129 40 21 59 13 30 110 156 132	27 19 44 136 160 114	7	0	5	31 119 35 10 51 17	32 194 71 0 4 3 96 219 249 190
5	8	71	22	\approx	\$₹	22	92	27	82	29	೫	~	32
											_		_

FIG. 2B

PCT/US99/08388

4/5





FIG.3

WO 99/57886




INTERNATIONAL SEARCH REPORT

International Application No PCT/US 99/08388

A CLASS	FICATION OF SUBJECT MATTER		
IPC 6	FICATION OF SUBJECT MATTER H04N1/405		
-	•		
According to	International Patent Classification (IPC) or to both national classification	ation and IPC	
B. FIELDS	SEARCHED		
	cumentation searched (classification system followed by classification	on symbols)	
IPC 6	HO4N		
Documenta	ion searched other than minimum documentation to the extent that si	uch documents are included in the fields se	arched
		50. 4504	a.cca
Electronic d	ata base consulted during the international search (name of data bas	se and, where practical, search terms used	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.
v	D C DOETLING ET AL UT. D		
X	P. G. ROETLING ET AL.: "Tone Rep	roduction	1,8,10,
	and Screen Design for Pictorial		11,18,20
	Electrographic Printing" JOURNAL OF APPLIED PHOTOGRAPHIC		
	ENGINEERING.		
	vol. 5, no. 4, 1 October 1979, pa	nes	
	179-182, XP002040963	yes	
	Springfield (US)		
Υ	- F 3		2-7,9,
			12-17,19
	see page 180, left-hand column, p	aragraph	,
	2 - page 181, right-hand column,	line 7	
	-	·/	
X Furti	ner documents are listed in the continuation of box C.	Patent family members are listed in	n annex.
* Special ca	tegories of cited documents :	"T" later document published after the inter	mational filing date
	ent defining the general state of the lart which is not	or priority date and not in conflict with	the application but
	ered to be of particular relevance document but published on or after the international	cited to understand the principle or the invention	ory underlying the
filing a	ate	"X" document of particular relevance; the cl cannot be considered novel or cannot	aimed invention be considered to
"L" docume which	nt which may throw doubts on priority claim(s) or is cited to establish the publication date of another	involve an inventive step when the doc	curnent is taken alone
citatio	n or other special reason (as specified)	"Y" document of particular relevance; the cl cannot be considered to involve an inv	entive step when the
"O" docume other	ent referring to an oral disclosure, use. exhibition or means	document is combined with one or mo ments, such combination being obviou	re other, such docu-
	ent published prior to the international filing date but	in the art.	•
		"&" document member of the same patent f	amily
Date of the	actual completion of the international search	Date of mailing of the international sea	rch report
၁	8 June 1999	06/07/1999	
	o outie 1333	06/0//1999	
Name and r	nailing address of the ISA	Authorized officer	
	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk		
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	De Roeck, A	





		PC1/US 99/08388
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
Y	Proceedings VLSI and Computer Peripherals, Hamburg, 8-12 May 1989; IEEE, 1989; pages 2-43 - 2-45 J. WILD: "Design of multilevel threshold matrices for ordered dither digital halftoning, optimized for edge sharpness, detail reproduction and texture" XP00044116 see page 2-43, left-hand column, paragraph 3 - page 2-44, left-hand column, line 10	2-7, 12-17
Y	EP 0 293 214 A (DIGITAL EQUIPMENT CORPORATION) 30 November 1988 see page 5, line 6 - line 13	4,14
Y	NAOKI KUWATA ET AL.: "A new bi-level quantizing method for document images " IEEE TRANSACTIONS ON CONSUMER ELECTRONICS, vol. 38, no. 3, August 1992, pages 718-724, XP000311916 NEW YORK (US) see page 720, left-hand column, paragraph 3-1 see page 721; figure 6	9,19
Α	EP 0 621 723 A (FUJI PHOTO FILM CO.) 26 October 1994	
Α	US 5 291 296 A (C. M. HAINS) 1 March 1994	
A	US 5 287 195 A (T. P. BLUMER) 15 February 1994	
çe.	. ·	



Information on patent family members

International Application No PCT/US 99/08388

Patent document cited in search repor	t	Publication date		Patent family member(s)	Publication date
EP 293214		30-11-1988	AU	605298 B	10-01-1991
			AU	1661588 A	01-12-1988
			CA	1306557 A	18-08-1992
			CN	1031614 A,B	08-03-1989
			JP	1085474 A	30-03-1989
EP 621723	 А	26 - 10-1994	JP	6303429 A	28-10-1994
			DE	69416029 D	04-03-1999
			DE	69416029 T	27-05-1999
			EP	0859506 A	19-08-1998
US 5291296	 А	01-03-1994	DE	69322350 D	 14-01-1999
00 027.227	• •		DE	69322350 T	20-05-1999
			ΕP	0590860 A	06-04-1994
			JP	2644666 B	25-08-1997
			JP	6133156 A	13-05-1994
US 5287195	Α	15-02-1994	NONE		

THIS PAGE BLANK (USPTO)